



LYG FAMOUS GROUP CO., LTD

Contact details

Sale Manager: **Allen Song** WhatsApp/Phone/Wechat : **+8618861515646**

Email: allen@ysfamous.com Web: www.ysfamous.com

双头多功能切菜机

Vegetable Cutter

- 1、叶菜类切段，例（长条状葱、大蒜、韭黄、芹菜、高丽菜、大白菜等）
- 2、根茎类切片、切丝、切丁，例（萝卜、马铃薯、芋类、番薯、竹笋、洋葱、瓜类、茄子类。

Function:

- 1.It can cut leafy vegetables like scallion, garlic,leek,celery, spinach, Chinese cabbage into slices.
- 2.It can cut root vegetables like carrot, potato, taro, sweet potatoes, bamboo shoot, onion, melons and eggplant into slice, strip, cube shape.



TJ-301T

台湾专利



TJ-301C

可拆卸



TJ-301

漏斗式



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
TJ-301T	300-1000kg/min	1220*560*1275mm	220V	1.875kw	135kg
TJ-301C	300-1000kg/min	1170*560*1260mm	220V/380V	1.875kw	135kg
TJ-301 漏斗式	300-1000kg/min	1170*560*1260mm	220V/380V	1.875kw	135kg

大型双头多功能切菜机

Vegetable Cutter

- 1、叶菜类：可切长条状葱、大蒜、韭黄、芹菜、高丽菜、大白菜等切段，输送带与切刀的转速采用变频器控制可以调切所切割的蔬菜长短。
- 2、球根类：可切萝卜、马铃薯、芋类、蕃薯、竹笋、洋葱、瓜类、茄子类。

Function

- 1.It can cut leafy vegetables like scallion, garlic,leek,celery, spinach, Chinese cabbage into slices, the rotation speed of conveyor belt and cutting blade is controlled by frequency converter to adjust the length of vegetables.
- 2.It can cut the roots vegetable like carrot, potato, taro, sweet potatoes, bamboo shoot, onion, melons and eggplant.



TJ-301D

TJT-118



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
TJ-301D	500-1200kg/min	1300*650*1430mm	220V/380V	1.875kw	135kg
TJT-118	300-1000kg/min	1300*650*1340mm	220V/380V	1.875kw	200kg

大型双变频切菜机

Large Vegetable Cutter

- 1、可切长条状葱、大蒜、韭黄、芹菜、高丽菜、大白菜、豆干、菠菜、瓜类等。可以连接自动化生产线，适合食品加工业、中央厨房等。
- 2、该机更换切肉刀具后可将冻肉，鲜肉等一次性切成肉片。

Function:

- 1.This machine can cut scallion, garlic, silk, celery, Chinese cabbage, dried beans, spinach, melon into strips. It can be connected with automatic production line. It is suitable for food processing industry, central kitchen and so on.
- 2.After replacing the blade of cutting meat, it can cut frozen meat and fresh meat into meat slices.



TJ-168

TJ-306

TJ-306A



型号 Model	切断能力 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
TJ-168	800-2000kg/h	1230*700*1163mm	220V	1.87kw	193kg
TJ-306	800-1500kg	1020*760*1370mm	220V/380V	2.25kw	130kg
TJ-306A	1500-2000kg/h	1000*800*1380mm	380V	2.25kw	200kg

中型双变频切菜机

Dual Frequency Vegetable Cutter

适用于叶菜类切丝切段。可调整刀具转速及输送带速度来决定叶菜端裁切长度。

Function:

The machine is suitable for cutting leafy vegetables into shreds and slices. The speed of the cutting blade and the conveyor belt can be adjusted to determine the cutting length.



TJ-311

TJ-305

TJ-305C



输送带宽度（上 / 下带）：116/120mm

叶菜端 切割长度：0 ~ 60mm

型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
TJ-311	300-800kg/h	600*500*900mm	220V	0.75kw	80kg
TJ-305	500-800kg/h	750*500*1000mm	220V	0.75kw	60kg
TJ-305C	500-800kg/h	830*570*1300mm	220V	1.12kw	120kg

球茎类多功能切菜机

Root Vegetable Cutter

可用于根茎类切片、条、丁，例（马铃薯、芋头、蕃薯、瓜类、竹笋、洋葱、茄子等），还可以用于切薯片、香蕉片等。

Function:

Multifunctional cutter, shredding, slicing, dicing machine TJ-312 tubers cutter: potato, yam head, sweet potato, melon, bamboo shoot, onion, eggplant, can be cut into pieces, strips, squares, and rectangular. It can also be used to cut potato chips, banana chips.



TJ-312

TJ-312
(漏斗)

TJ-312A



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
TJ-312	200 — 1000kg/h	600*500*900mm	220V/380V	0.75kw	70kg
TJ-312 漏斗式	200 — 1000kg/h	600*500*900mm	220V/380V	0.75kw	80kg
TJ-312A	200 — 1000kg/h	600*500*900mm	220V/380V	0.75kw	80kg

蔬果切丁机

Vegetable & Fruit Dicing Machine

可切胡萝卜丁(条)、马铃薯丁(条)、芋头丁(条)、蕃薯丁(条)、瓜果类丁(条)、洋葱丁(条)、青椒丁(条)、芒果丁(条)、菠萝丁(条)、苹果丁(条)、火腿丁、魔芋丁、木瓜丁、竹笋等切丁，或者长条。

Function:

1. It can cut carrot, potato, taro, fruit, onion, mango, pineapple, apple, ham, pawpaw, bamboo shoot into small cubes.
2. The machine frame is made of 304 stainless steel, durable and anti-corrosion There is a micro switch on the feed inlet to ensure the safety of operation. The speed of cutting is fast, which can be equivalent to 25 people's workload.



TJ-1500

TJ-800

TJ-314
切大丁



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
TJ-1500	2000-3000kg/h	1270*1735*1460mm	380V	2.25kw	280kg
TJ-800	500-800kg/h	700*800*1300mm	380V/220V	1.5kw	100kg
TJ-314 切大丁	300-500kg/hr	930*450*1050mm	380V 三相	0.75kw	80kg

配料、调味品加工设备

Condiment Processing Equipment

可将蒜头、姜、马铃薯、菠菜、洋葱、莲藕打成泥状或细切状，同时，还可将新鲜或腌制过的辣椒打成小碎片状或泥状。刀片数量可以自由添加。

可以切葱花、芹菜段、辣椒圈、韭菜，长短可调。

Function:

It can cut garlic, ginger, potatoes, spinach, onions, lotus root into muddy or shreds, it can also cut fresh or pickled pepper into small pieces or muddy. The number of cutting blades can be added as required. It can be used to cut onion, celery, chili and leek, and the cutting length is adjustable.



TJ-307
蒜泥姜泥机

TJ-308
打碎机

TJ-302
切葱机

TJ-110
葱丝机



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
TJ-307	800-1000kg/h	800*380*1000mm	380V	2.25kw	120kg
TJ-308	500-800kg/h	760*550*1280mm	220V	0.35kw	40kg
TJ-302	70-150kg/h	420*350*520mm	220V	0.35kw	30kg
TJ-110	50kg/h	510*360*520mm	220V	0.35kw	20kg

专用切丝切片机

Vegetable & Fruit Slicer

- 1、切姜机、切姜片机、切姜丝机、切萝卜条机、切青瓜条机、切笋片机、切笋丝机。
- 2、切割产品表面光滑，整齐。切割的厚度和宽度可另订刀片切成相应规格的成品。

Function:

1. The machine can cut ginger, radish, cucumber and bamboo shoots into slices or shreds.
2. Advanced cutting blades with good cutting performance. Different specifications of blades can be customized according to different needs.



TJ-501

TJ-501A

TJ-503

TJ-315



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	切丝规格 Strip size	切片规格 Slice size
TJ-501	500~800kg/h	700*500*850mm	220V/380V	0.75KW	1-8mm	1-5mm
TJ-501A	500~800kg/h	650*490*850	220V/380V	0.75KW	1.5-5mm	1-8mm
TJ-503	150~250kg/hr	540*400*560mm	220V	0.375KW	4mm	1-5mm
TJ-315	330kg/h	690*360*840mm	220V	0.375KW		0.8-2.5mm

自动切片切条机

Automatic Strip Cutter

- 1、将马铃薯，地瓜，萝卜等定向切成方向长条状或片状。
- 2、切割后成品表面光滑，不破坏组织。适合原物料进一步蒸，煮，炸。适合速食店，制造业者或者食品加工厂使用。

Function:

1. It can cut potatoes, sweet potatoes and radish into strips or slices.
2. Good cutting quality without any damage. Suitable for fast food shops, food processing plants, etc.



TJ-502

TJ-206
可切果脯

TJ-205



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
TJ-502	600~800kg/h	660*560*900mm	380V/220V	1.125kw	125kg
TJ-206	200~800 kg/h	600*600*1060mm	220V	0.75kw	74kg
TJ-205	600~800kg/h	660*560*900mm	380V/220V	2kw	125kg

磨姜机、果汁机

Juice Maker

将生姜处理成姜汁，并把姜汁和姜渣分离，用于豆浆、果蔬类的打汁或分离蔬果类、麦芽苗打汁、流体食物制作等。 调味料搅拌均质冰品、果蔬、调味。是食品加工业的得力助手。

Function:

1. It can cut potatoes, sweet potatoes and radish into strips or slices.
2. Good cutting quality without any damage. Suitable for fast food shops, food processing plants, etc.



TJ-105
磨姜机

TJ-20L

TJ-30L

TJ-120L



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power
TJ-105	200kg/h	540*600*1400mm	220V/50HZ	1.85kw
TJ-20L	18kg/ 每次	460*370*1200mm	220/380V	1.5kw
TJ-30L	27kg/ 每次	790*740*1340mm	220/380V	2.25kw
TJ-120L	7000/min	1050*750*1500mm	380V	11.25kw

大型切肉丝肉片机

Fresh Meat Slicer

机器采用双刃切削，上下两组交叉刀组对肉类进行加工，不损伤食物纤维。带有万向带刹车脚轮便移机，能够灵活调度提高生产效率。

Function:

1. The whole body is made of 304 stainless steel;
2. Imported blade, wear resistance, corrosion resistance, high hardness;
3. Easy to assemble and disassemble, easy to clean
4. The blade set does not damage the fibrous tissue to ensure the fresh meat.



JYR-130

JYR-8B

JYR-10B



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
JYR-130	400kg/h	720*562*950mm	220V/380V	0.75kw	80kg
JYR-8B	1500kg/h	580*560*940mm	380V	1.5kw	120kg
JYR-10B	800kg/h	570*480*1000mm	380V	1.5kw	120kg

输送带切肉丝机

Meat Slicer Machine with Coveyor Belt

整部机体采用优质 304 不锈钢制作，钢板厚度 3mm 表面抛光拉丝喷砂封油处理
 机器刀片为不锈钢材料，特殊淬火工艺
 机器采用双刃切削，刀刃配合严密紧致，独立刀组，减噪高强度尼龙齿轮可自由拆卸
 富有弹性的食物切成丝。切片 切丁。

Function:

The machine is made of SUS 304 stainless steel with a thickness of 3mm, the surface on the process of polished brushed and sandblasting oil; The machine blade is made of stainless steel with special quenching process This machine adopts double-edge cutting, closely matched blade, independent cutter set, noise-reducing and high-strength nylon gear can be disassembled and cut the elastic food into shreds. Slice and dice.



型号 Model	进料口高度 Feed port height	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
RY-R0102	890mm	1500*530*950mm	380V 50Hz	1.5KW	150kg

冻肉 蔬菜 切丁机

Frozen meat and vegetables dicing machine

控制系统采用 PLC 触摸屏变频器控制，采用双电机结构，可对肉丁的切割尺寸进行微量调整。可在常温下对水果和根茎类蔬菜进行丁、丝、片的切割；可对直径小于 200mm，温度在 -10℃ ~0℃ 的冻肉做 3~25mm 的丁、丝、片的切割。

Function:

The control system is adopt PLC touch screen frequency converter to control, which used double motor structure also can adjust the cutting size.

It can cut the dice, shred and slice of fruits and root vegetables at the normal temperature; it can cut 3~25mm dice, shred and slice for frozen meat with diameter less than 200mm and temperature between -10℃~0℃.



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
TJ-1500D	800-3000kg/hr	1750*1250*1600mm	380V	1.5KW	400kg
TJ-1500R	800-1500kg/h	1640*900*1500mm	380V	5.5 KW	600kg

自动分切机

Automatic Cutting Machine

该机采用国际先进设计，主要用于无骨肉、禽类、鱼类、动物内脏的切片、切条，质量好、产量高。更换齿刀可切带软骨的禽鸟类。

Function:

The machine adopts advanced design, mainly used to cut meat without bones, poultry, fish and animal viscera into slices or strips. Good cutting quality and high production. If the machine is equipped with the serrated blade, it can cut poultry birds with cartilage.



JYR-310

JY-309B



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
JYR-310	500kg/h	1250*505*1140	380V	550w	100kg
TJ-309B	500kg/h	2000*550*1250mm	380v	0.75kw	100kg

全自动斩排骨机

Automatic Slitting Machine

适用于零下5度的冻猪肋排、前排、小排、羊排、冻肉、半只鸡半只鸭、肉片等切块一次成型。

Function:

For frozen pork ribs, front row, small row, Sheep chops, frozen meat, chicken side ducks, meat slices, etc..type



JY-300B

JYQ-303



型号 Model	进料口尺寸 Feed port size	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
JY-300B	300*70mm	1000*600*1450mm	380V	3.00kw	310kg
JYQ-303	300*70mm	1585*600*1490mm	380V	4.25kw	260kg

台湾锯骨机

Bones Cutter

针对冻肉、排骨、鸡鸭鱼肉，牛仔骨，猪手等切割。

Function:

The machine can cut frozen meat, ribs, poultry, fish, steak, pig trotters, etc.



TJ-260

TJ-300

TJ-330

TJ-360



型号 Model	规格 Dimension	电压 Voltage	功率 Power	重量 Weight	锯条长度 Blade length	锯切高度 Cutting height
TJ-260	700*650*1610mm	380V	1.5kw	78kg	1900mm	26cm
TJ-300	780*850*1615mm	380V	1.5kw	120kg	2150mm	30cm
TJ-330	900*825*1720mm	380V	2.25kw	190kg	2580mm	33cm
TJ-360	1310*1050*1900mm	380V	2.25kw	220kg	2715 mm	36cm

台湾锯骨机

Bones Cutter

用于鲜肉，负五度左右的冷冻肉，鸡鸭肉等一次性切条切丁切块。

Function:

This machine can be used to cut fresh meat or frozen meat ($> -5^{\circ}\text{C}$) into strips or blocks.



TJ-290

TJ-320

TJ-350



型号 Model	规格 Dimension	电压 Voltage	功率 Power	重量 Weight	锯条长度 Blade length
TJ-290	650*640*1580mm	380V	1.125kw	110kg	2392mm
TJ-320	714*690*1672mm	380V	1.5kw	125kg	2485mm
TJ-350	650*640*1580mm	380V	1.5kw	110kg	2392mm

全自动锯骨机

Automatic Bones Cutting Machine

- 1、顶端抓手采用双层夹料设计，底端采用固定排针，有助于物料稳定传输。精准分份切割。
- 2、双边带动轮的设计防止锯带脱落。
- 3、加工温度范围宽，零下 4 度到零下 18 度。
- 4、采用触摸屏幕能操作面板，可自设定切割速度。
- 5、厚度调整采用伺服马达，高精度设定厚度。

Function:

1. The machine adopts advanced design, so that materials can be transferred stably and the machine can cut materials accurately.
2. The dual drive wheel design prevents the saw belt from falling out.
3. Materials at -4℃ ~ -18℃ can be processed by the machine.
4. The operation panel is a touch screen, and the cutting speed is adjustable.
5. The cutting thickness is controlled by the servo motor, and the thickness can be adjusted accurately.



HY-420A



JY-150



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
HY-420A	8-12 次 / 分钟	1055*934*1840mm	380V	3.75kw	1000kg
JY-150	500-1000kg/h	1550*1820*1700mm	380V	3.5kw	800kg

大型砍排机

Large Ribs Chopper

超大的进料仓设计，宽度分别为 170mm, 210mm, 250mm, 360mm，可用于切牛排，猪扒，培根肉片，火腿，奶酪等，从大块原料到小块原料均可使用。能够切出超薄的产品，提升切片的精度，刀片使用德国制造名牌产品，能长久的保持切片的最佳效果。

Function:

The machine can be used for cutting beef steak, pork chop, bacon meat slice, ham, cheese, etc. Adopts large feed trough design and the optional width is 170mm, 210mm, 250mm, 360mm respectively. The machine has high cutting accuracy and the materials can be cut very thin.. Germany's famous blade is adopted to ensure that good cutting quality, it can be maintained for a long time.



JY-25K



JY-17K

JY-21K



JY-36K

型号 Model	切割速度 cutting speed	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
JY-17K	160 片 / 分钟	2000*550*1250mm	380V	3.4kw	310kg
JY-21K	160 片 / 分钟	1950*1100*1500mm	380V	2.7kw	500kg
JY-25K	200 片 / 分钟	1700*800*1250mm	380V	4.4kw	600kg
JY-36K	280 片 / 分钟	1820*1200*1550mm	380V	5.5kw	700kg

带骨盐水注射机

Brine Injector

本设备除用于肉类加工外，通过更换针头还可应用于鱼类、海参、禽类等产品的注射加工。

Function:

The equipment is used for meat processing, and can also be used for injection processing of fish, sea cucumber, poultry and other products by changing injection needles.



JYR-84



JYR-80

型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
JYR-84	1000-1500kg/h	1390*770*1750mm	380V	4.5kw	800kg
JYR-80	800kg/h	1120*670*1560mm	380V	4.5kw	800kg

自动断筋机

Automatic Tenderizing Meat Machine

采用目前国际先进的齿形步进技术，嫩肉效果好、使用方法最简单、工艺佳、效果好的嫩肉机械产品，利用高密度的特别设计斜切细小刀锋对所加工牛肉进行深度纤维瞬间切割，从而从不同角度破坏其肌纤维组织，以达到较佳的嫩化状态，而不改变牛肉的外形。

Function:

The machine adopts advanced technology and is easy to operate. The machine has special designed with high density, which can tenderize the meat without changing the shape of beef.



JY-980



JY-548



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
YJ-980	1000-2000kg/h	1980*850*1550mm	380V	3kw	400kg
JY-548	1000kg/h	1400*600*1340mm	380 V	2.2 kw	154kg

落地式松肉断筋机

Floor Type Tenderizing Meat Machine

适用于不带骨里肌，各类肉排的断筋，嫩化，辗压，代替手拍打。

Function

- 1.The machine is used for tenderizing and rolling of boneless meat and steak meat instead of purely manual processing.
- 2.The machine can not only tenderize meat but also cut the muscle fibers. It can choose different functions according to different kinds of meat. The frame is made of stainless steel, and the feeding inlet is adopted with safety design.



TJ-207

TJ-208

TJ-208B

TJ-209
核桃仁破瓣机



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
TJ-208	300kg/h	410**510*920mm	380V 三相	2.2KW	80KG
TJ-208B	300kg/h	650*450*970mm	380V 三相	2.2KW	85KG
TJ-209	200-500kg/h	530*450*1000mm	380V 三相	2.2KW	90KG


立式填充打卡机

Vertical Sausage Sealing Machine

本机广泛适用于羊肉卷成型，火腿肠灌装等产品；封口性强，密封性好；把肠衣拉紧至要求，即可打卡封口及自动切断；产品饱满度可随时调整。

Function:

This machine is suitable for lamb roll molding, ham sausage filling, good sealing. It can pull the sausage casings to the required length, then seal and cut off. The fullness of the product can be adjusted at any time.



打卡机

立式填充机

型号 Model	产量 Capacity	规格 Dimension	气源要求 Gas source requirements	肠衣直径 Intestinal diameter	重量 Weight
打卡机	10 次 / 每分钟	800*350*660mm	0.5Kpa	80-120mm	25kg
立式填充机	10-12 次 / 每分钟	1970*650*1400mm	0.5Mpa	80-150mm	160kg

切冻肉、排骨、禽鸟类机

Frozen Meat & Ribs Cutting Machine

斩排骨机，采用特制双刀能将龙骨，猪蹄，猪小排大排等带骨物料，将横条状的排骨切成块，长短可调。

Function:

The ribs cutting machine adopts special blades to cut the bird's sternum, pig trotters and ribs into dices, and the cutting length can be adjusted.

切熟肉机采用特制的三把刀片能将叉烧肉、卤味、猪头皮、猪耳朵、牛肚、肥肠、牛肉等熟肉切成条、片状，出料口连接输送带，使得切出来的物料摆放整齐。

Function:
The cooked meat cutting machine adopts three special blades to cut barbecued pork, braised pork, bath chap, pig's ear, beef tripe, pig's intestine, beef and other cooked meat into strips or slices. The products outlet is connected with the conveyor belt, so that the materials after cutting can be placed neatly.

禽鸟类切块机适合将带软骨的禽类一次性切成条状、两次切成块（丁）状如：鸟类、鸽子、鸡、鸭等。

Function:

Poultry cutting machine is suitable for cutting poultry with cartilage. It can cut the materials into strips at once, if it cuts again, the materials can be cut into blocks.



TJ-303A



TJ-304B



TJ-300



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight	产品尺寸 Product size
TJ-303A	500-800kg/h	800*500*1250mm	380V	1.5kw	130kg	0-40mm (adjustable)
TJ-304B	500-800kg/h	760*550*1280mm	380V	1.5kw	160kg	0-20. 0-40mm (adjustable)
TJ-300	800kg/hr	720*500*800mm	380V 50Hz	1.5kw	100kg	5-40mm

冻肉刨片机

Frozen Meat Slicer

加工适应温度范围加工制品：-2℃～ -10℃

可将 -10℃的冷冻肉均匀的切片 .2 电机的獨立驅動式超强功率

最大切削寬度為 350mm 的載肉台。1 分鐘最高可切片達 60 片的高速冷凍

Function:

It is suitable for slicing of materials at -2 ℃ ～ -10 ℃ . The frozen meat can be cut evenly. The maximum cutting width is 350mm. The frozen meat can be sliced into 60 pieces within 1 minute.



RJY-21



JY-32



RJY-350



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	重量 Weight	切割厚度 Cutting thickness
RJY-21	4560 片 / 小时	770*600*690mm	220V/380V	71kg	0-16mm
JY-32	42次 / 分	780*560*736mm	220V/380V	90kg	0-12mm
RJY-350	38~58 片 / 分	1000*1430*820mm	380V 三相	220kg	0-25mm

切肉丁机

Meat Dicing Machine

- 1、此切丁机结构紧凑，采用优化卫生设计，机壳，切割刀栅均采用不锈钢材料制成，切刀采用双刃切削，工作效率高，是食品加工中的必备的设备。
- 2、主要特点：调整厚度切割旋钮，可对推杆进行无级调速以满足不同切割厚度的要求。采用了预压力设计，保证在切割过程中使肉丁块状均匀。单刃切割时，肉料推杆作步进运动，保证切割尺寸正确。

Function:

- 1.The meat dicing machine is compact and hygienic. The shell is made of stainless steel. The cutting blade is a double-edged blade with high efficiency. It is a common equipment in food processing.
- 2.It can meet different cutting thickness requirements. Using advanced design to ensure uniform size of meat dices in cutting process.



JY-350

JY-550



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
JY-350	500 — 600kg/h	1480*800*980mm	380V	3. 2kw	500kg
JY-550	700 — 900kg/h	1940*980*1100mm	380V	3. 7kw	500kg

猪肉去皮机

Pork Skinning Machine

可调式刀座，方便调整去皮厚度；采用德国刀片，去皮厚度随意可调；机器附移动轮，移动方便；机器结构精准，运转顺畅，安静低噪音；脚踏板式操作安全开关，操作更安全。

Function:

It adopts Germany blade and adjustable blade seat to adjust the thickness of skinning. Equipped with wheels to facilitate move the machine. The machine is high efficiency and low noise. The pedal safety switch ensures the safety of the operator.



JY-500

JY-620



型号 Model	处理能力 Output	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
JY-500	18m/min	750*710*880mm	220V/380V	750w	105kg
JY-620	480m/min	830*2000*1160mm	220V/380V	0. 75kw	200kg

去筋膜、猪油机

Fascia Removing Machine & Degreasing Machine

去筋膜机：可有效去除各部位肉上的筋膜。

Fascia removing machine: It can effectively remove the fascia of different kinds of meat.

去油机：是专业为动物皮革表面油脂去除设计的加工设备，德国进口刀片，去油厚度可在 0.3-6mm 之间调整。

Degreasing machine: It can be used to remove grease from animal leather surface.

It adopts the German blade, and the thickness of the degreasing can be adjusted between 0.3 - 6mm.



JYR-500



ZYQ-500



型号 Model	处理能力 Output	规格 Dimension	电压 Voltage	重量 Weight	厚度 Product thickness
JYR-500	15m/min	500*780*930mm	380v	150kg	0.2-0.5mm
ZYQ-500	18m/min	815*710*880mm	380/220V	158kg	0.3-6mm

小型真空滚揉机

Vacuum Roll Mix Machine

缩短浸泡时间，大大提高工作效率。调味更均匀，由于抽真空的作用，味道渗透进肉里。有很好的嫩化和调理作用。

Function:

It has good quality tenderizing. Using the principle of physical impact, the roller is reduced to a vacuum. The meat rolls in the roller. Because of the effect of vacuum, the flavor penetrated into the meat.



JY-180



JY-250

TJ-608



型号 Model	最大投料量 Capacity	规格 Dimension	电压 Voltage	真空泵功率 Vacuum engine Powe	重量 Weight	滚筒容量 Volume
JY-180	160kg	980*840*1380mm	380V	0.75Kw	250kg	180L
JY-250	200kg	980*840*1380mm	220V	0.75Kw	250kg	250L
TJ-608	90kg/次	1300*550*1270mm	220V/三相	0.75kw	120kg	150L

大型真空滚揉机

Vacuum Roll Mix Machine

缩短浸泡时间，大大提高工作效率。调味更均匀，由于抽真空的作用，味道渗透进肉里。有很好的嫩化和调理作用。

Function:

It has good quality tenderizing. Using the principle of physical impact, the roller is reduced to a vacuum. The meat rolls in the roller. Because of the effect of vacuum, the flavor penetrated into the meat.



型号 Model	最大投料量 Capacity	规格 Dimension	电压 Voltage	真空泵功率 Vacuum engine Powe	重量 Weight	滚筒容量 Volume
JYL-300	270kg	1230*810*1380mm	380V	0. 75Kw	270kg	300L
TJG-500	450kg	1350*810*1480mm	380v	0. 75kw	350kg	500L

绞肉机

Meat Grinder

绞肉机的头部易于拆卸，精细的模具设计，机器造型优美，曲线流畅，清洗方便。

Function:

High efficiency, full frame is made of stainless steel. The cutting tool is easy to disassemble and clean.



JY-332

TJ-320S

JY-432



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
JY-332	800kg	610*820*460mm	380V/50hz	3kw	80kg
TJ-320S	950kg	605*1000*950mm	380V	3. 75kw	140kg
JY-432	1000kg	1020*660*920mm	380V	4kw	100kg

香肠线扎机

Sausage Filling Machine

采用电动传动棉线捆扎，将直径小于 40mm 的香肠送入结扎机，靠人工移动香肠，调整定位件确定香肠长度的。范围（20~400mm）进行结扎，适用于生产天然肠衣、胶原蛋白、纤维、烟熏肠衣制作的产品。

Function:

The motor drive the cotton thread knots the sausages. Put the sausage less than 40 mm in diameter into the knotter, then move the sausage and adjust the length of the sausage (20-400 mm) for sausage packing.



TJZG-1

TJZG-2

TJZG-3



型号 Model	产量 Capacity	规格 Dimension	重量 Weight	电压 Voltage	肠体直径 Sausage Diameter
TJZG-1	3600pcs/h	850*520*1000mm	100kg	220V/380V	9-40mm
TJZG-2	300 节每分钟	1120*620*500mm	123kg	220V/380V	8-30mm
TJZG-3	500 节每分钟	1352*760*1352 mm	123kg	220V/380V	8-30mm

斩拌机

Chopper mixer

斩拌机利用斩刀高速旋转的斩切作用，将肉块，碎肉，脂肪等主要原料精细的斩切成肉馅或肉泥，同时将其它原料如水，冰片，辅料一起搅拌成均匀的乳状物。

Function:

It can cut meat blocks, meat dices and other raw materials into muddy or pasty.



JY-ZB20L

JY-ZB40L

JY-ZB80L



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight	斩刀速度 Cutting die speed	斩锅转速 Cut pan speed
JY-ZB20L	300kg/h	815*750*850MM	380V	5.1kw	130kg	1440/2980rpm	7rpm
JY-ZB40L	600kg/h	965*800*1000mm	220/380v	1.5kw	135kg	144r/min	12r/min
JY-ZB80L	1000kg/h	1820*1360*1250mm	380v	10.48kw	1400kg	1680/3450rpm	7-15rpm

叶菜加工生产线

Leafy Vegetables Processing Line

特点:

新型净菜加工生产线一共 7 台设备，主要用于叶菜的清洗、消毒和切割，顺序分为：原料提升机、三层挑选输送机、大型切菜机、二次提升机、全自动涡流清洗去杂机、毛刷清洗去杂机、震动吹干机，整线设计合理，使用更加人性化，自动化程度较高，清洗效果好，不损伤物料，是净菜加工和中央厨房的理想加工设备。

Function:

This new production line includes 7 machines: material elevator, three-layer selecting conveyor, vegetables cutter, second material elevator, automatic vortexing cleaning machine, brush washing machine, vibrating drying machine. The production line is reasonable in design, convenient in operation, high in efficiency, and meets the safety production standard.

尺寸可根据客户要求量身定做

新款洗菜机



球茎类加工生产线

Root Vegetables Processing Line

特点:

本生产线一共10 台设备，顺序排放为：提升机、清洗去皮机、提升机、输送分料机、切丝机、切片机、切丁机、提升机、漂洗机、震动吹干机、也可离心脱水，主要用于球茎类蔬果的去皮清洗切割和漂洗，整线设计合理，自动化程度高、节约人工降低生产成本、外形美观大方。

Function:

This production line including 10 machines: material elevator, cleaning & peeling machine, second material elevator, selecting conveyor, shredding machine, slicing machine, dicing machine, third material elevator, rinse machine, vibrating air dryer. It's reasonable in design, convenient in operation, high in efficiency.



毛菜清洗生产线

Whole Vegetable Cleaning Production Line

用途

各种青菜蔬果整株（个）清洗，如生菜、莴苣、香菜、菠菜等等。

特点:

- 1、采用高压喷淋与强力水泡结合清洗模式；
- 2、输送速度范围内可调（变频器调节）；
- 3、设置清水喷淋装置（可选择性开关）；
- 4、补水装置设置自动 / 手动两种模式；
- 5、水位深度范围内可调节；
- 6、水箱采用气压式水位控制，确保水泵运行；
- 7、带变频调速及臭氧。



可根据客户需求来定制

型号 Model	产量 Capacity	外形尺寸 Dimension	电压 Voltage	功率 Power	重量 Weight
ZYC0-23	每小时 2 吨	10.5x1.6x1.7 (米)	380V 三相	10kw	1.5 吨

输送机

Conveyor

平皮带输送机运用输送带的连续或间歇运动来输送各种轻重不同的物品，既可输送各种，适合食品、 形状：平型皮带机，输送带上还可增设提升挡板、裙边等附件，能满足各种工艺要求，输送机两侧配以工作台、食品包装等装配线。

Function:

The conveyor is made of stainless steel and equipped with food grade conveyor belt to meet the requirements of food safety. Specific specifications can be customized according to customer needs.

材质：不锈钢
用途：大型食品加工输送
规格：依客户要求



提升机


Hoister

本机主要用于蔬果提升和清洗前的预洗，提升处安装有喷淋装置，可以减少进入洗菜机的清洗时间，下面安装有接水盘和自动去杂装置，是蔬果加工配套设备的主要辅助机械。

Function:

This machine is mainly used for hoisting and pre-washing vegetables and fruits. Equipped with a spraying device, which can pre-washing raw materials simply. It is a necessary equipment for processing vegetables and fruits.

电机功率 0.4 千瓦
外形尺寸 2000X800X1800mm
产量：每小时 1-1.5 吨
依客户要求可量身定做



全自动毛刷清洗去皮机

Automatic Brush Cleaning & Peeling Machine

新型全自动毛刷清洗去皮机，主要使用于根茎类物料的清洗和去皮，如土豆、马铃薯、芋头、胡萝卜等产品，可连接根茎类蔬果加工生产线。

Function:

This machine is mainly used for cleaning and peeling rhizome vegetables (such as potatoes, taro, carrots, etc.)



产量 Capacity	规格 Dimension	功率 Power
每小时 1-2.5 吨	2800*1000*1700mm	2kw

鼓泡清洗机，涡流清洗机

Vortexing Washing Machine For Vegetables

本机主要用于蔬菜水果的清洗去杂物及去除毛发，如白菜、叶类蔬菜和菌类

Function:

This machine is mainly used for removing impurities and cleaning vegetables and fruits.

外形尺寸: 3800X1300X1600mm

产量: 每小时 1-1.5 吨

功率: 4.5KW

电压: 380V



风干机

Air dryer

本机采用滚滚传送的方式，上部加有风机直吹，在输送过程中，滚杠带动物料 360 度转动，通过风机组构成的强力风力处，将表面水珠吹落。如此反复，从而达到使物料表面吹干效果，特别适合圆形物料的吹干。如：圣女果、大枣、金桔等。

Function:

The machine uses rolling conveying. The upper part of the machine is equipped with blowers. During the conveying process, the rolling bars drive the materials to rotate 360 degrees. The water on the material surface is blown off by the strong wind force formed by the blower group. After repeated processing, the material surface can be dried. It is suitable for drying circular materials, such as cherries, tomatoes, red dates, kumquat, etc.



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
JYF-103	800-1000kg/h	2500*1100*1500mm	380V	0.37kw	400kg

土豆清洗去皮机

Brush Cleaning Machine

用于土豆，芋头，胡萝卜，番薯，山药，粉葛等根茎类果蔬清洗去皮。

Function:

It can be used to washing and peeling rhizome vegetables and fruits, such as potatoes, taros, carrots, sweet potatoes, yams, pachyrhizua angulatus, etc.



TJ-55



JYTP-80



JYTP-1500

JYTP-1800



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
TJ-55	300-500kg/hr	770*665*925mm	220/380V	1.5kw	130kg
JYTP-80	300-500kg/h	1180*1080*780mm	380V	1.5kw	200kg
JYTP-1500	800-1000kg/h	1750*850*1200 mm	380V	1.5kw	250kg
JYTP-1800	1000-1500kg/h	2150*900*1200 mm	380V	1.5kw	380kg

全自动脱水机

Automatic Dewaterer

用于各类蔬菜的脱水，包装与储存是蔬菜脱水专用机，适用于餐厅酒楼、休闲食品、超市、农贸市场、食品加工及中央厨房等使用。

It is used for dewatering of all kinds of vegetables. It is suitable for restaurants, supermarkets, farmers' markets, food processing plants and central kitchens.

- 1、篮筐式脱水。接料方便，非传统的袋装脱水，有利于保护原料。
- 2、脱水过程可调节速度和时间适于不同的菜品需求不同的转速。
- 3、合适的机台及菜篮高度，减少操作时的搬运疲劳。设计独特的菜篮内盖，可保证物料不会向外飞溅，造成浪费。

Function:

1. Basket type dewatering, easy to connect materials and is good for protecting materials.
2. Different speed and time can be set according to different vegetable types.
3. Reasonable design of machine height can save effort when handling materials. The unique design inner cover of the basket ensures that the materials will not fly out.



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
TJT-5	每次 5kg	940*700*900mm	220V	0.75kw	150kg
TJ-50L	每次 5-10kg	930*800*1250mm	380V	1.5kw	400kg
TJ-70L	600-900kg/h	1030*800*1250mm	380V	1.7kw	500kg

台湾翻斗洗菜机

Vortexing & Bubbled Washing Machine

台湾翻斗洗菜机是一款多功能洗净机称之为涡流翻转式洗净机，具有快速洗净循环，卫生安全的清洗功能，第一段粗洗、第二段精洗。因为它不仅彻底清洗叶菜类、根茎类等蔬菜，如菠菜或色拉、胡萝卜、马铃薯，同时也还有清洗水果、鱼、家禽和其他产品洗净功能。坚固耐用，藉由高压鼓风机产生气泡达到产生良好温和洗净效果，涡流翻转洗净机机型款式有单槽、双槽、3槽、4槽、5槽、6槽多种选择，可再使用冷却系统、使洗净用水保持低度恒温，使产品保鲜度提高进而延长保存期限。**Function:** The vortexing & bubbled washing machine has the functions of quick cleaning and circulating cleaning. It can not only thoroughly clean leafy vegetables, rhizomes and other vegetables (such as spinach, carrots, potatoes, etc.), but also can clean fruits, fish, poultry and other raw materials. Sturdy and durable, the bubbles produced by the high-pressure blower can make the cleaning process to produce a better effect. The machine can be customized as single tank or multi tank. Cooling system can be used to keep the washing water low and constant temperature, which can improve the freshness of raw materials and extend the storage life of raw materials.



型号 Model	洗槽大小 Slot size	规格 Dimension	电压 Voltage	功率 Power	鼓风功率 Wind Power
70	700*740mm	1830*1160*1170mm	380V	1.5kw	0.5kw

双室真空包装机

Double Chamber Vacuum Packaging Machine

真空包装机生产效率高，放取包装物不受空间限制、方便容易工作室洁洗。该系列机型，参照国内外先进技术。采用密封和抽真空完全电子控制、轴流散热式。

真空包装机适用：肉类熟食包装、酱制品、豆制品、海产品加工、粮食、电子元件、帐本等其他行业进行真空包装、可以防止产品氧化霉变、腐败、防潮达到延长产品的储存期限。

Function:

Vacuum packaging machine has high production efficiency, large space and easy to clean. It adopts international advanced technology, sealing and vacuuming controlled by the electronic system of the machine.

It is suitable for vacuum packaging of cooked meat, soybean products, seafood, rice and so on. It can prevent oxidation, mildew, spoilage and moisture of products, so as to prolong the storage period of products.



500



600



型号 Model	产量 Capacity	规格 Dimension	电压 Voltage	功率 Power	重量 Weight
500	1-4 次/分	1420*765*960mm	380V	2.2kw	365kg
600	1-4 次/分	1420*765*960mm	380V	2.2kw	365kg