

FAMOUS GROUP OIL PRESS QUOTATION

You deserve a better life!

Without additives
More nutrition
More secure
More fun





LIANYUNGANG FAMOUS IMPORT AND EXPORT TRADING CO., LTD
Address: ROOM102, 26TH BUILDING, FAMOUS GARDEN, GUAN NAN COUNTY, LIANYUNGANG CITY,
JIANGSU PROVINCE, CHINA
Telephone/Wechat: +8618861515646
WhatsApp: +8618861515646
Email: allen@ysfamous.com




Edited with the demo version of
Infix Pro PDF Editor



To remove this notice, visit:
www.iceni.com/unlock.htm

Special Model: T6




Packing list



Picture	Model	Rated Power	Motor Power	Press efficiency	Screw Size	Packing weight	Packing size(mm)		Note
	T6	610W	200W	3-5KG	200MM	10KG	450*230*350		Special Models Mini body Only 375 * 160 * 275 mm Copper motor, steel gear, strong power Screw material: 316 stainless steel Hopper Material: 304 stainless steel
	T6T	610W	200W	3-5KG	200MM	10KG	450*230*350		Special Models Mini body Only 375 * 160 * 275 mm Copper motor, steel gear, strong power Screw material: 316 stainless steel Hopper Material: 304 stainless steel Equipped with a second generation temperature controller



Special Model: LBT02



Picture	Model	Rated Power	Motor Power	Press efficiency	Screw Size	Packing weight	Packing size(mm)		Note
	LBT02	610W	200W	3-5KG	200MM	10KG	530*270*350		Special Models Machine size: 450 * 180 * 300 mm Copper motor, steel gear, strong power Screw material: 316 stainless steel Hopper Material: 304 stainless steel



610W Household Oil Press Machine: RG-106/RG-109



Picture	Model	Rated Power	Motor Power	Press efficiency	Screw Size	Packing weight	Packing size(mm)	Note
	RG-106	610W	200W	3-5KG	236MM	11KG	530*270*350	Machine size: 450 * 180 * 315 mm Copper motor, steel gear, strong power Screw material: 420 stainless steel Hopper Material: 304 stainless steel Oil cup material: 304 stainless steel Shell material: vacuum coated stainless steel
	RG-109	610W	200W	3-5KG	236MM	11KG	530*270*350	Machine size: 450 * 180 * 315 mm Copper motor, steel gear, strong power Screw material: 420 stainless steel Hopper Material: 304 stainless steel Oil cup material: 304 stainless steel Shell material: vacuum coated stainless steel Equipped with a second generation temperature controller



610W Household Oil Press Machine: RG-307/RG-309



Picture	Model	Rated Power	Motor Power	Press efficiency	Screw Size	Packing weight	Packing size(mm)	Note
	RG-307	610W	200W	3-5KG	236MM	11KG	450*230*350	Machine size: 450 * 165 * 285 mm Copper motor, steel gear, strong power Screw material: 420 stainless steel Hopper Material: 304 stainless steel Oil cup material: 304 stainless steel Shell material: vacuum coated stainless steel
	RG-309	610W	200W	3-5KG	236MM	11KG	450*230*350	Machine size: 450 * 165 * 285 mm Copper motor, steel gear, strong power Screw material: 420 stainless steel Hopper Material: 304 stainless steel Oil cup material: 304 stainless steel Shell material: vacuum coated stainless steel Equipped with a second generation temperature controller



610W Household Oil Press Machine: LBT01/LBT01T



Picture	Model	Rated Power	Motor Power	Press efficiency	Screw Size	Packing weight	Packing size(mm)		Note
	LBT01	610W	200W	3-5KG	200MM	10KG	450*230*350		Machine size: 375 * 160 * 275 mm Copper motor, steel gear, strong power Screw material: 316 stainless steel Hopper Material: 304 stainless steel
	LBT01T	610W	200W	3-5KG	200MM	10KG	450*230*350		Machine size: 375 * 160 * 275 mm Copper motor, steel gear, strong power Screw material: 316 stainless steel Hopper Material: 304 stainless steel Equipped with a second generation temperature controller

610W Household Oil Press Machine: X5/X5S



Picture	Model	Rated Power	Motor Power	Press efficiency	Screw Size	Packing weight	Packing size(mm)	Note
	X5	610W	200W	3-5KG	200MM	11KG	450*230*350	Machine size: 420 * 160 * 300 mm Copper motor, steel gear, strong power Screw material: 316 stainless steel Hopper Material: 201 stainless steel
	X5T	610W	200W	3-5KG	200MM	11KG	450*230*350	Machine size: 420 * 160 * 300 mm Copper motor, steel gear, strong power Screw material: 316 stainless steel Hopper Material: 201 stainless steel Equipped with a second generation temperature controller

750W Intermediate Performance Machine: K18




Picture	Model	Rated Power	Motor Power	Press efficiency	Screw Size	Packing weight	Packing size(mm)		Note
	K18	750W	300W	5-7. 5KG	245MM	13KG	530*270*380		Machine size: 450 * 180 * 300 mm Copper motor, steel gear, strong power Screw material: 420 stainless steel Hopper Material: 304 stainless steel Equipped with first generation temperature controller

750W Intermediate Performance Machine： K28C



Picture	Model	Rated Power	Motor Power	Press efficiency	Screw Size	Packing weight	Packing size(mm)		Note
	K28C	750W	300W	5-7.5KG	245MM	13KG	530*270*380		Machine size: 450 * 180 * 300 mm Copper motor, steel gear, strong power Screw material: 420 stainless steel Hopper Material: 304 stainless steel Equipped with first generation temperature controller

750W Intermediate Performance Machine: K28



Picture	Model	Rated Power	Motor Power	Press efficiency	Screw Size	Packing weight	Packing size(mm)		Note
	K28	750W	300W	5-7.5KG	245MM	13KG	530*270*380		Machine size: 450 * 180 * 300 mm Copper motor, steel gear, strong power Screw material: 420 stainless steel Hopper Material: 304 stainless steel Equipped with smart touch screen controller

950W Commercial Oil Press Machine : K38




Picture	Model	Rated Power	Motor Power	Press efficiency	Screw Size	Packing weight	Packing size(mm)		Note
	K38	950W	300W	6-10KG	270MM	17KG	600*300*450		Machine size: 460 * 200 * 390 mm Screw material: 420 stainless steel Hopper capacity: 5L Oil cup capacity: 2L With Thermostat

1000W Commercial Oil Press Machine: S8




- 加长机身
- 加大料盘
- 净重32斤

Industrial Grade Moto



Product packing list




Picture	Model	Rated Power	Motor Power	Press efficiency	Screw Size	Packing weight	Packing size(mm)		Note
	S8	1000	400	6-10KG	246MM	20KG	650*300*450		Machine size: 500 * 180 * 350 mm industrial motor, liquid oil immersed gear box Screw material: 420 stainless steel Hopper capacity: 5L Oil cup capacity: 2L With Thermostat


1200W Commercial Oil Press Machine: S9S



Industrial Grade Moto













Product packing list



Picture	Model	Rated Power	Motor Power	Press efficiency	Screw Size	Packing weight	Packing size(mm)	Note
	S9S	1200	400	8-12KG	272MM	23KG	650*300*450	Machine size: 560 * 200 * 380 mm industrial motor, liquid oil immersed gear box Screw material: 420 stainless steel Hopper capacity: 5L Oil cup capacity: 4L With Thermostat

LIANYUNGANG FAMOUS IMPORT AND EXPORT TRADING CO., LTD
Address:ROOM102,26TH BUILDING, FAMOUS GARDEN, GUAN NAN COUNTY, LIANYUNGANG CITY, JIANGSU PROVINCE, CHINA
Telephone/Wechat:+8618861515646
WhatsApp:+8618861515646
Email:allen@ysfamous.com





 <p>Flout</p>	 <p>Screen/chamber</p>	 <p>Oil cup/flange</p>
 <p>Brush</p>	 <p>Gloves</p>	 <p>Manual</p>
 <p>Hopper</p>	 <p>Pipe</p>	 <p>Power Line</p>

Picture	Model	Rated Power	Motor Power	Press efficiency	Screw Size	Packing weight	Packing size(mm)		Note
	S10	1500	550W	10-15KG	290MM	35KG	760*340*470		Machine size: 670 * 240 * 420 mm industrial motor, liquid oil immersed gear box Screw material: 420 stainless steel Hopper capacity: 5L Oil cup capacity: 4L Equipped with first generation temperature controller

Edited with the demo version of
Infix Pro PDF Editor


To remove this notice, visit:
www.iceni.com/unlock.htm

1600W Commercial Oil Press Machine: P20



Picture	Model	Rated Power	Motor Power	Press efficiency	Screw Size	Packing weight	Packing size(mm)	Note
	P20	1600	1070W	10KG	272MM	80KG	800*630*1170	Machine size: 650 * 505 * 980 mm industrial motor, liquid oil immersed gear box Screw material: 420 stainless steel Hopper capacity: 5L Oil cup capacity: 4L With Thermostat

2200W Commercial Oil Press Machine: D06



Picture	Model	Rated Power	Motor Power	Press efficiency	Screw Size	Packing weight	Packing size(mm)		Note
	D06	2200	1570W	20KG	405MM	71KG	730*430*780		Machine size: 600 * 306 * 775 mm industrial motor, liquid oil immersed gear box Screw material: 420 stainless steel Hopper capacity: 10L Oil cup capacity: 4L With Thermostat

Our advantages:

☑ Invention patent of motor

The thrust bearing is placed inside the motor to prevent oil pollution, and the technology has obtained the national invention patent.

SNAPRANGER

National patent motor
Integrated thrust bearing
Reject oil pollution



SNAPRANGER motor

To integrate the thrust bearing in motor internal fundamentally eliminate the possibility of oil contamination and significantly improves the life span of the machine



In the thrust bearing in the motor

Old oil press designs will be thrust bearing imbedding in the lock catch centre

Bearing oil, metal powder pollution of edible oil exist huge hidden trouble



The old one from the lock front end can see the thrust bearing



Thrust bearing graphic demonstration

For the thrust of offset press, the old one oil mill often or lock in the lock Placed inside of the thrust bearing, thrust bearing need to add oil to work properly, When the press also can produce a lot of metal powder, once the squeeze is not smooth, pressing chamber. Inside the oil return to lock, press the cooking oil in the chamber will and thrust bearing Oil, metal powder mixed directly, and the flow of oil will be cooking oil, Oil, metal powder mixtures.

☑The second generation of temperature controller

Through independent development, we have a unique oil press dedicated temperature controller, It greatly improves the convenience of oil press operation, improves oil production efficiency and cleanliness.

**National patent
temperature control**


TEMPERATURE CONTROL

EASY TO OPERATE
PRECISE CONTROL
FAST TEMPERATURE RISE

REAL TIME TEMPERATURE

SETTING
TEMPERATURE

INCREASE



REDUCE

HEATING COUNTDOWN