



LYG FAMOUS GROUP CO., LTD

Contact details

Sale Manager: [Allen Song](#)

WhatsApp/Phone/Wechat : [+8618861515646](#)

Email: allen@ysfamous.com

Web: www.ysfamous.com



FOOD
PREPARATION
PRODUCT CATALOG

KITCHEN DESIGN
SERVICE



C O N T E N T

> planetary mixer	P007	> meat slicer	P035
> stand mixer	P018	> sausage filler	P041
> dough mixer	P021	> potato peeler	P043
> dough press	P027	> vegetable chopper	P044
> dough sheeter	P032	> blender	P049
> Bread slicer	P033	> milk shaker	P050
> cake cutter	P034	> orange juicer	P051

C U S T O M E R S



FOOD MIXER

ETL APPROVED
GEAR drive 20 LITER mIXER

20
LITER



BANDO® BELT
FROM JAPAN



FEATURES

- > ETL, CE, EMC safety features bring more protection.
- > New Bowl Fix Arm, Stronger.
- > Safety Guard to avoid the danger from Mixing.
- > Classic Design Structure.

PACKING

MODEL	PACKING SIZE	G.W.
MA20A	590*510*1050	100 KG

SPECIFICATION

MODEL	CAPACITY	MAX FLOUR	SPEED (RPM)	POWER	SIZE (MM)	WEIGHT
MA20A	20 LITER	5 KG	197 / 317 / 462	1100 W	500*450*900	86 KG

VOLTAGE 110V / 220V / 380V FREQUENCY 50Hz / 60Hz



WIRE WHIP



FLAT BEATER



DOUGH HOOK



FOOD MIXER

2016 new belt drive
WITH SAFETY GUARD



CE 10 LITER 20 LITER 30 LITER 40 LITER



-  **BELT DRIVE**
STABLE, LOW NOISE
-  **BANDO® BELT**
FROM JAPAN
-  **TIMER ASSEMBLED**
ACCURATE (B30M / B40M ONLY)
-  **10 YEARS GUARANTEE**
GEARS



WIRE WHIP



FLAT BEATER



DOUGH HOOK

SPECIFICATION

MODEL	CAPACITY	MAX FLOUR	SPEED (RPM)	POWER	SIZE (MM)	WEIGHT
B10M	10 LITER	2.5 KG	114 / 234 / 460	600 W	480*420*820	58 KG
B20M	20 LITER	5 KG	140 / 276 / 540	1100 W	570*480*950	78 KG
B30M	30 LITER	7 KG	134 / 234 / 460	1300 W	660*665*1200	128 KG
B40M	40 LITER	9 KG	134 / 234 / 460	1300 W	690*645*1250	138 KG

VOLTAGE 110V / 220V / 380V FREQUENCY 50Hz / 60Hz



FEATURES

- > 10 Years Guarantee for Gears
- > Japanese BANDO® Belts for Drive System
- > 3 Sand Blasted Stainless Steel Attachments
- > Main Belt Inside is FEP Material with 30% Fiber
- > Perfect Bake Coating Surface
- > Very Thick Guard Rib, Strongest Protection
- > Strong Body and Support
- > Belt Drive Mixer, Less Noise
- > Easy Maintenance and Low Maintenance Rate

PACKING DETAILS

MODEL	PACKING SIZE	G.W.
B10M	550*490*960	79 KG
B20M	640*560*1090	100 KG
B30M	750*680*1340	169 KG
B40M	780*705*1390	179 KG

CERTIFICATION



FOOD MIXER

2016 new belt drive series
WITHout SAFETY GUARD



BELT DRIVE
STABLE, LOW NOISE



BANDO® BELT
FROM JAPAN



10 YEARS GUARANTEE
GEARS



WIRE WHIP



FLAT BEATER



DOUGH HOOK

SPECIFICATION

MODEL	CAPACITY	MAX FLOUR	SPEED (RPM)	POWER	SIZE (MM)	WEIGHT
B10M-1	10 LITER	2.5 KG	114 / 234 / 460	600 W	480*420*820	58 KG
B20M-1	20 LITER	5 KG	140 / 276 / 540	1100 W	570*480*950	78 KG
B30M-1	30 LITER	7 KG	134 / 234 / 460	1300 W	660*665*1200	128 KG
B40M-1	40 LITER	9 KG	134 / 234 / 460	1300 W	690*645*1250	138 KG

VOLTAGE 110V / 220V / 380V FREQUENCY 50Hz / 60Hz



FEATURES

- > 10 Years Guarantee for Gears
- > Japanese BANDO® Belts for Drive System
- > 3 Sand Blasted Stainless Steel Attachments
- > Main Belt Inside is FEP Material with 30% Fiber
- > Perfect Bake Coating Surface
- > Very Thick Guard Rib, Strongest Protection
- > Strong Body and Support
- > Belt Drive Mixer, Less Noise
- > Easy Maintenance and Low Maintenance Rate

PACKING DETAILS

MODEL	PACKING SIZE	G.W.
B10M-1	550*490*960	79 KG
B20M-1	640*560*1090	100 KG
B30M-1	750*680*1340	169 KG
B40M-1	780*705*1390	179 KG

FOOD MIXER

CLASSIC GEAR drive series
WITH SAFETY GUARD



- 10
LITER
- 15
LITER
- 20
LITER
- 25
LITER
- 30
LITER



GEAR DRIVE
STABLE

NSF
NSF STANDARD



WIRE WHIP



FLAT BEATER



DOUGH HOOK

SPECIFICATION

		VOLTAGE		FREQUENCY		
		110V / 220V / 380V		50Hz / 60Hz		
MODEL	CAPACITY	MAX FLOUR	SPEED (RPM)	POWER	SIZE (MM)	WEIGHT
B10F	10 LITER	2.5 KG	148 / 244 / 480	600 W	470*450*600	58 KG
B15F	15 LITER	3.5 KG	148 / 244 / 480	600 W	470*450*610	59 KG
B20F	20 LITER	5 KG	197 / 317 / 462	1100 W	540*490*780	83 KG
B25F	25 LITER	6 KG	197 / 317 / 462	1500 W	570*510*810	88 KG
B30FN	30 LITER	7 KG	197 / 317 / 462	1500 W	550*520*890	88 KG



CHOOSE YOUR PREFERRED LIFT HANDLE



DO YOU NEED EMERGENCY STOP SWITCH?



NO GUARD VERSION IS ALSO AVAILABLE



FEATURES

- > Safety Guard to Avoid the danger from Mixing.
- > Classic Design Structure.
- > CE, EMC safety features bring more protection.
- > Easy to Use.

PACKING DETAILS

MODEL	PACKING SIZE	G.W.
B10F	560*470*850	63 KG
B15F	560*470*880	64 KG
B20F	640*500*1030	96 KG
B25F	650*520*1040	98 KG
B30FN	640*520*1050	100 KG

FOOD MIXER

CLASSIC GEAR and belt drive
WITH SAFETY GUARD



30
LITER

35
LITER

40
LITER



HAND WHEEL IS OPTIONAL



NO GUARD VERSION IS ALSO AVAILABLE



WIRE WHIP



FLAT BEATER



DOUGH HOOK

SPECIFICATION

MODEL	CAPACITY	MAX FLOUR	SPEED (RPM)	POWER	SIZE (MM)	WEIGHT
B30F	30 LITER	7 KG	125 / 204 / 430	1300 W	580*510*1000	173 KG
B35F	35 LITER	8 KG	120 / 187 / 520	1500 W	540*540*1030	185 KG
B40F	40 LITER	9 KG	120 / 187 / 520	1500 W	650*620*1120	210 KG

60
LITER



CLASSIC GEAR and belt drive series
WITH SAFETY GUARD

FEATURES

- > Safety Guard to Avoid the danger from Mixing.
- > Classic Design Structure.
- > CE, EMC safety features bring more protection.
- > Electric Lifting, Hand Wheel is Optional.

HAND WHEEL IS OPTIONAL



NO GUARD VERSION IS ALSO AVAILABLE



WIRE WHIP



FLAT BEATER



Dough hook

SPECIFICATION

MODEL	CAPACITY	MAX FLOUR	SPEED (RPM)	POWER	SIZE (MM)	WEIGHT
B60F	60 LITER	25 KG	82 / 155 / 325	2200 W	910*730*1460	395 KG
B80K	80 LITER	30 KG	86 / 165 / 345	2300 W	950*870*1750	493 KG



FOOD MIXER

CLASSIC GEAR drive series
WITH SAFETY GUARD



20
LITER

25
LITER

CHOOSE YOUR PREFERRED LIFT HANDLE

HAND WHEEL ?



HANDLE ?



MEAT MINCER
#12 HUB



GEAR DRIVE
STABLE



WIRE WHIP



FLAT BEATER



DOUGH HOOK

SPECIFICATION

		VOLTAGE		FREQUENCY			
		110V / 220V / 380V		50Hz / 60Hz			
MODEL	CAPACITY	MAX FLOUR	SPEED (RPM)	POWER	SIZE (MM)	WEIGHT	
B20F4	20 LITER	5 KG	130 / 234 / 418	1100 W	920*490*1030	83 KG	
B25F4	25 LITER	6 KG	130 / 234 / 418	1500 W	950*520*1060	88 KG	

STAND MIXER

COMMERCIAL PURPOSE
GEAR DRIVE series

5
LITER

7
LITER



FEATURES

- > With Safety Cover.
- > With Full Protection Features.
- > Overloading Protection.
- > Variable Speed.
- > Stainless Steel Bowl and Mixing Tools.
- > Japanese Belts and Iron Gears.
- > Digital Control and Digital Display.
- > No Slippery Rubber Base



GEAR DRIVE
STABLE



BANDO® BELT
FROM JAPAN



Max. flour
1.0 KG

SPECIFICATION

		VOLTAGE		FREQUENCY			
		110V / 220V		50Hz / 60Hz			
MODEL	CAPACITY	MAX FLOUR	SPEED (RPM)	POWER	SIZE (MM)	WEIGHT	
B7	7 LITER	1000 G	230 - 580	650 W	460*340*520	21 KG	



BELT DRIVE series



BELT DRIVE
STABLE, LOW NOISE



BANDO® BELT
FROM JAPAN



SPECIFICATION

		VOLTAGE		FREQUENCY			
		110V / 220V		50Hz / 60Hz			
MODEL	CAPACITY	MAX FLOUR	SPEED (RPM)	POWER	SIZE (MM)	WEIGHT	
B5F	5 LITER	500 G / 800 G	1080 RPM	300 W	350*230*400	20.8 KG	
B7A	7 LITER	500 G / 800 G	1080 RPM	325 W	400*250*410	22 KG	

IMMERSION BLENDER

commercial use



Роб. Мотори 6WLY



OMRON
OMRON RADIATOR

NSK
JAPANESE BEARING

FEATURES

- > Continuous is Protected by Locking Button.
- > Stainless Steel 304 Tube and Egg Whisk.
- > Overloading Protection.
- > DC Motor, Quiet, Powerful.
- > Interchangeable Shaft and Whisk.

110V / 220V

7.0 KG

550 WATT

MIXING BOWL
50 - 100 LITER



750 WATT AVAILABLE ALSO



CONSTANT SPEED

12000 RPM



TT-K4A



TT-K4B




TT-K4C




VARIABLE SPEED WITH BLASTER


3000 - 12000 RPM



TT-K4T-A1



TT-K4T-B1



TT-K4T-C1

PROGRAMMING MIXER

FREQUENCY MIXER



BD20

- > Program memory function
- > Frequency technology and variable speed
- > No screws outside
- > Mixing of 5 Kg flour in 2 minutes
- > Mixing of 20 PCS egg white in 90 seconds



Max. flour
5 kg



max. Egg white
2.4 liter



max. Cream
5 liter



max. Cake
5 kg



max. Potato
8 kg

SPECIFICATION

MODEL	CAPACITY	MAX FLOUR	SPEED (RPM)	POWER	SIZE (MM)	WEIGHT
Bd20	20 LITER	5 KG	147 / 217 / 361 / 542	750 W	710*380*740	78.5 KG

VOLTAGE 110V / 220V / 380V

FREQUENCY 50Hz / 60Hz

DOUGH MIXER

NEW chain drive series
WITH SAFETY GUARD



20
LITER

30
LITER

40
LITER

50
LITER



NEW CHAIN drive series
WITH SAFETY GUARD



CHAIN DRIVE TRANSMISSION
STABLE, LONG LIFE



CHAIN DRIVE TRANSMISSION
STABLE, LONG LIFE



TIMER ASSEMBLED
ACCURATE

FEATURES

- > Chain Transmission, Stable, Long Life.
- > Sprockets are all made of high quality steel.
- > Emergency Stop Protection.
- > The base is with high strength.
- > Smooth surface.



Dough hook



Dough hook

SPECIFICATION				VOLTAGE 110V / 220V / 380V		FREQUENCY 50Hz / 60Hz	
MODEL	SPEED	CAPACITY	MAX FLOUR	SPEED (RPM)	POWER	SIZE (MM)	WEIGHT
HM20B	SINGLE	23 LITER	8 KG	18 / 165	1100 W	730*420*680	78 KG
HM20S	DOUBLE	23 LITER	8 KG	15 / 23 135 / 210	1300 / 1700 W	730*420*680	78 KG

SPECIFICATION				VOLTAGE	110V / 220V / 380V	FREQUENCY	50Hz / 60Hz
MODEL	CAPACITY	MAX FLOUR	SPEED (RPM)	POWER	SIZE (MM)	WEIGHT	
HM30B	34 LITER	12.5 KG	20 / 230	2100 W	870*490*830	108 KG	
HM30S	34 LITER	12.5 KG	15 / 23 150 / 230	1300 / 1700 W	870*490*830	108 KG	
HM40S	45 LITER	20 KG	15 / 24 150 / 240	1200 / 1800 W	870*490*960	178 KG	
HM50S	66 LITER	25 KG	15 / 24 150 / 240	2800 / 3600 W	960*570*960	188 KG	

DOUGH MIXER

ECONMICAL
WITH SAFETY GUARD

- 20
LITER
- 30
LITER
- 40
LITER
- 50
LITER
- 60
LITER
- 80
LITER

FEATURES

- > Chain and Belt Transmission, Stable, Long Life.
- > Competitive Price.
- > CE Approved.



CHAIN DRIVE TRANSMISSION
STABLE, LONG LIFE



TIMER ASSEMBLED
ACCURATE



Dough hook



HS20S

HS30S

HS40S

HS50S

HS60S

BELT AND CHAIN DRIVE



HS80S

BELT DRIVE

SPECIFICATION


MODEL	CAPACITY	MAX FLOUR	SPEED (RPM)	POWER	SIZE (MM)	WEIGHT
HS20S	20 LITER	8 KG	15 / 20 150 / 198	1500 W	730*390*900	90 KG
HS30S	30 LITER	12.5 KG	15 / 20 150 / 198	1500 W	750*435*900	100 KG
HS40S	40 LITER	16 KG	15 / 20 150 / 198	3000 W	840*480*1000	155 KG
HS50S	50 LITER	20 KG	15 / 20 150 / 198	3000 W	840*480*1000	170 KG
HS60S	60 LITER	25 KG	15 / 20 150 / 198	3000 W	840*480*1000	180 KG
HS80S	80 LITER	32 KG	12 100 / 200	2400 W	1000*560*1380	300 KG

VOLTAGE 110V / 220V / 380V

FREQUENCY 50Hz / 60Hz

B SERIES

Mechanic control | Double speed



Mechanic control

- Double speed
- Stainless steel bowl and hook
- CE approved
- Running silently
- Emergency stop protection



HS30B-1 HS40B-1 HS50B-1



HS30B HS40B HS50B




HS140B

FEATURES	CAST IRON BODY			STEEL PLATE BODY			
VOLTAGE	220V / 110V SINGLE PHASE			380V / 220V TRIPLE PHASE			
MODEL	HS30B-1	HS40B-1	HS50B-1	HS30B	HS40B	HS50B	HS140B
BOWL VOLUME	28 Liter	45 Liter	66 Liter	28 Liter	45 Liter	66 Liter	140 Liter
MAX FLOUR	12.5 kg	20 kg	25 kg	12.5 kg	20 kg	25 kg	50 kg
SPEED BOWL	18/13 RPM	18/13 RPM	18/13 RPM	23/15 RPM	22/15 RPM	22/15 RPM	22/22 RPM
SPEED SPIRAL	200/139 RPM	200/139 RPM	200/139 RPM	230/150 RPM	220/150 RPM	220/150 RPM	220/110 RPM
POWER	2.1 kw	2.8 kw	2.8 kw	1.5 kw	2.5 kw	2.5 kw	5.6 kw
TRANSMISSION	GEAR & BELT	GEAR & BELT	GEAR & BELT	GEAR & BELT	GEAR & BELT	GEAR & BELT	GEAR & BELT
SIZE	850X430X1100	900X500X1180	1020X590X1220	760X420X870	920X540X990	1000X600X1050	1220X735X1370
WEIGHT	195 KG	270 KG	280 KG	104 KG	198 KG	209 KG	640 KG

BD SERIES SPIRAL MIXER

Digital control | Double speed



Digital control



- Double speed
- S/S bowl and hook
- Emergency protection
- CE approved
- Running silently

FEATURES	STEEL PLATE BODY		
VOLTAGE	380V / 220V TRIPLE PHASE		
MODEL	HS30BD	HS40BD	HS50BD
BOWL VOLUME	28 Liter	45 Liter	66 Liter
MAX FLOUR	12.5 kg	20 kg	25 kg
SPEED BOWL	23/15 RPM	22/15 RPM	22/15 RPM
SPEED SPIRAL	230/150 RPM	220/150 RPM	220/150 RPM
POWER	1.5 kw	2.5 kw	2.5 kw
TRANSMISSION	GEAR & BELT	GEAR & BELT	GEAR & BELT
SIZE (MM)	760X420X870	920X540X990	1000X600X1050
WEIGHT	104 KG	198 KG	209 KG

DOUGH MIXER

CAST IRON
SPIRAL MIXER



HS10E

- American Belts
- Single speed
- S/S bowl and hook
- Emergency protection



HS20E

- CE approved
- Running silently

FEATURES	CAST IRON BODY		
VOLTAGE	220V / 110V SINGLE PHASE		
MODEL	HS10E	HS20E	HS30E DOUBLE SPEED
BOWL VOLUME	10 Liter	23 Liter	34 Liter
MAX FLOUR	3 kg	8 kg	12.5 kg
SPEED BOWL	12 RPM	26 RPM	26/16 RPM
SPEED SPIRAL	100 RPM	260 RPM	260/160 RPM
POWER	0.6 kw	1.5 kw	1.8 kw
TRANSMISSION	GEAR & BELT	GEAR & BELT	GEAR & BELT
SIZE (MM)	550×300×690	830×530×880	860×670×950
WEIGHT	95 Kg	142 Kg	216 Kg

AD SERIES SPIRAL MIXER
DIGITAL CONTROL DOUBLE SPEED

- American Belts
- Belts drive
- Super power
- High performance
- Heavy duty



MODEL	HS40AD	HS80AD	HS130AD	HS200AD	HS260AD
BOWL VOLUME	50 L	80 L	130 L	200 L	250 L
MAX FLOUR	15 kg	25 kg	50 kg	75 kg	100 kg
VOLTAGE	380 V	380 V	380 V	380 V	380 V
WEIGHT	296 kg	332 kg	420 kg	710 kg	730 kg
SIZE (MM)	990*550*1070 MM	1065*630*1130 MM	1175*730*1230 MM	1460*905*1400 MM	1460*905*1500 MM
POWER	3.3 kw	5.2 kw	7.5 kw	12.4 kw	15.9 kw

HG SERIES SPIRAL MIXER
Germany Design | Classic structure



- American Belts
- Belts drive
- Super power
- High performance
- CE approved
- Heavy duty



HS40B(HG)
HS50B(HG)
HS60B(HG)
HS90B(HG)
HS130B(HG)
HS200B(HG)



HS260B(HG)

MODEL	HS40B(HG)	HS40B(HG)	HS50B(HG)	HS60B(HG)	HS90B(HG)	HS130B(HG)	HS200B(HG)	16 belts HS260B(HG)
BOWL VOLUME	32 L	29 L	42 L	45 L	90 L	130 L	200 L	260 L
MAX FLOUR	12 kg	10 kg	18 kg	20 kg	30 kg	50 kg	75 kg	100 kg
VOLTAGE	220 V	380 V	220 V	380 V	380 V	380 V	380 V	380 V
WEIGHT	190 kg	160 kg	230 kg	260 kg	330 kg	560 kg	790 kg	900 kg
MIXING SPEED	226/158 RPM	227/148 RPM	285/138 RPM	285/138 RPM	260/173 RPM	294/145 RPM	285/125 RPM	285/125 RPM
BOWL SPEED	21/15 RPM	25/17 RPM	21 RPM	21 RPM	17 RPM	17 RPM	17 RPM	17 RPM
SIZE (MM)	900×430×975	820×420×360	930×490×120	930×490×120	1050×570×180	1240×680×400	1400×1050×520	1680×1100×1650
POWER	1.5 kw	1.4 kw	1.5 kw	2.77 kw	3.35 kw	5.6 kw	8.3 kw	13 kw

HORIZONTAL MIXER



- Single speed
- S/S bowl and spiral tools
- Emergency protection
- Mix for cake, cookie, soft material
- Stainless steel or painted body available to choose

3 Kinds of blades available to choose



Fork Blade



Flat Blade



Round Blade

MODEL	TT-D15D	TT-D25D	TT-D50D	TT-D75D	TT-D100D	TT-D150D
PRODUCTIVITY	15 L/Time	25 L/Time	50 L/Time	75 L/Time	100 L/Time	150 L/Time
BOWL CAPACITY	30 LITER	50 LITER	100 LITER	150 LITER	200 LITER	300 LITER
SIZE	680×520×700 MM	800×580×740 MM	920×640×920 MM	980×620×1060 MM	1060×680×1140 MM	1430×690×1400 MM
WEIGHT	68 Kg	85 Kg	118 Kg	190 Kg	200 Kg	220 Kg
ROLLING SPEED	42 RPM	42 RPM	42 RPM	26 RPM	24 RPM	24 RPM
POWER	1.1 Kw	1.5 Kw	2.2 Kw	4.0 Kw	5.5 Kw	7.5 Kw
VOLTAGE	220V 50Hz	220V 50Hz	380V 50Hz	380V 50Hz	380V 50Hz	380V 50Hz

DOUGH PRESS

Brand New and ETL Approved
Dough Press Machine



MADE IN CHINA



Dough press machine is good for making flat food material like below



Pizza



Tortilla



Navaho Bread



Chapati



Pita Bread



Parathas





Roti



Lavash



Various Flat Dough



- Various crusts up to **dia. 18" (460 mm)**
- Over **600 pcs per hour**
- Accurate, consistent,
- Faster than hand made



- > Reliable, safe operation
- > Easy to operate and clear
- > Compact table top design
- > **Heavy duty construction**
- > Trouble-free, maintenance-free
- > Heat protection guard
- > **Non-stick work surfaces**

SPECIFICATION

MODEL	CAPACITY	VOLTAGE / AMPS
TT-Dp10	18" (460mm)	110 V / 11.9 A / 1425 W 220V / 5.93 A / 1425 W
SIZE	WEIGHT	
9"0*730*1460 MM	86 KG (176 LB)	



DOUGH DIVIDER AND ROUNDER

SEMI-AUTOMATIC DIVIDER ROUNDER

- Divide and round **10 - 36 pieces** per batch
- **Stainless steel** blade and ring
- **Low noise**
- **Overload protection**
- High production rate



MODEL	TT-D212	TT-D21A
Capacity	30 PCS / Batch	36 PCS / Batch
DOUGH WEIGHT	30 - 100 G / PC	20 - 80 G / PC
VOLTAGE	380 V / 220 V	380 V / 220 V
POWER	0.75 Kw	0.75 Kw
Weight	368 Kg	368 Kg
SIZE	640X540X2100 MM	640X540X2100 MM

DIVIDER

- **36 pieces** dough divided per batch
- **Stainless steel** blade, pan and cover
- **Low noise**
- **Overload protection**
- Safety devices



MODEL	TT-D8
CAPACITY	36 square pcs / time
Dough weight	30 - 180 g
SIZE	410 x 520 x 1300 mm
VOLTAGE	380 V / 220 V
POWER	0.75 KW
WEIGHT	193 KG

FULL-AUTOMATIC DIVIDER ROUNDER


- **Full automatic** design
- Divide and round **10 - 36 pieces** / batch
- **Stainless steel** blade and ring
- **Low noise**
- **Overload protection**
- High production, **10 seconds** / batch
- **Imported** assembling parts



MODEL	TT-D200A	TT-D200B
Capacity	36 PCS / Batch	30 PCS / Batch
DOUGH WEIGHT	20 - 80 G / PC	30 - 100 G / PC
VOLTAGE	380 V / 220 V	380 V / 220 V
POWER	1.5 Kw	2.0 Kw
Weight	418 Kg	440 Kg

HYDRAULIC DOUGH DIVIDER

- **Hydraulic system** design
- Divide **10 - 30 pieces** per batch
- **Equally dividing**
- **Overload protection**
- High production rate, **10 - 20 sec** / batch
- **Imported** assembling parts
- Easy to clean



20 PCS DOUGH PATTERN



MODEL	TT-D201A	TT-D201B	TT-D201C	TT-D201D	TT-D201E
Capacity	30 PCS / Batch	26 PCS / Batch	20 PCS / Batch	10 PCS / Batch	14 PCS / Batch
DOUGH WEIGHT	90-550 G / PC	100-600 G / PC	100-800 G / PC	800-1600 G / PC	500-1000 G / PC
VOLTAGE	380 V / 220 V	380 V / 220 V	380 V / 220 V	380 V / 220 V	380 V / 220 V
POWER	2.5 Kw	1.5 Kw	1.5 Kw	1.5 Kw	1.5 Kw
Weight	425 Kg	338 Kg	350 Kg	320 Kg	320 Kg

TOAST MOULDER



- Heavy duty design
- One person operation
- Made of stainless steel
- Overload protection
- Phase lack protection
- Low noise
- Thickness adjustable
- Suitable for various loaf
- High quality motor

MODEL	TT-D6	TT-D213	TT-D218
Max flour sheet width	380 MM	380 MM	280 MM
VOLTAGE	380 V / 220 V	380 V / 220 V	380 V / 220 V
POWER	0.75 Kw	0.8 Kw / 1.3 Kw	0.37 KW
SIZE	500 × 1050 × 1300 MM	900 × 700 × 1130 MM	1000 × 530 × 1060 MM
WEIGHT	120 Kg	220 Kg	145 Kg

FRENCH BAGUETTE MOULDER



- Pure wool belt from France
- 50 - 1250 G max dough weight
- 10 seconds per moulding
- Low noise

MODEL	TT-D215
max dough weight	50 - 1250 G / PC
WEIGHT	288 Kg
SIZE	960 × 1010 × 1080 MM
VOLTAGE	380 V
POWER	1.0 Kw





Table top



MODEL	TT-D18A	TT-D18B
CONVEYER BELT SIZE	W 430 × L 1700 MM	W 500 × L 2000 MM
VOLTAGE	110 V / 220 V / 380 V	110 V / 220 V / 380 V
POWER	0.56 Kw	0.56 Kw
MAX ROLLING DOUGH	4 Kg	5 Kg
WEIGHT	117 Kg	125 Kg
SIZE	W 820 × L 1770 × H 620 MM	W 880 × L 2080 × H 620 mM
WORKING POSITION DIMENSION	L 1770 × W 620 mM	L 2080 × W 620 mm
FOLDED DIMENSION	750 × 710 MM	750 × 840 mM
ROLLER SIZE	Dia. 88 × W 450 MM	dia. 88 × W 520 MM
ROLLER ADJUSTABLE GAP	1 - 35 MM	1 - 35 MM

- Roller is made of seamless steel pipe
- Roller Surface is not adhesive to scratch
- High quality, firm structure, stable, long life
- Sheet to the thinnest, and spreading equally
- South Korean conveyor belt, PU material
- Safe operation, and easy to clean

STAINLESS STEEL BODY IS AVAILABLE



MODEL	TT-D19A-1	TT-D19B-1
CONVEYER BELT SIZE	W 500 × L 2000 MM	W 630 × L 2400 MM
VOLTAGE	110 V / 220 V / 380 V	110 V / 220 V / 380 V
POWER	0.56 Kw	0.75 Kw
MAX ROLLING DOUGH	5 Kg	6.5 Kg
WEIGHT	190 Kg	225 Kg
SIZE	W 880 × L 2550 × H 1180 MM	W 1100 × L 2950 × H 1180 mM
WORKING POSITION DIMENSION	L 2550 × W 1180 mM	L 2950 × W 1180 mm
FOLDED DIMENSION	660 × 1600 MM	780 × 1780 mM
ROLLER SIZE	dia. 88 × W 450 MM	dia. 88 × W 520 MM
ROLLER ADJUSTABLE GAP	1 - 35 MM	1 - 35 MM
MATERIAL	Painted body	Painted body

SUPERIOR SERIES BREAD SLICER





TT-D7B
TT-D7C



With emergency
stop switch

Stainless steel
side panel

TT-D7BS
TT-D7CS



- Slice can be customized 8 - 30 mm
- 1 thicker steel sheet
- 240 PCS slice per hour
- Stainless steel 304 material (Part)
- Imported blade and motor
- Safety guard is optional

MODEL	No emergency stop switch		Emergency stop switch and S/S side panel	
	TT-D7B	TT-D7C	TT-D7BS	TT-D7CS
Cutting	39 PCS / time	31 PCS / time	39 PCS / time	31 PCS / time
max bread SIZE	 Max Bread	 Max Bread	 Max Bread	 Max Bread
Thickness of slice	12 MM	12 MM	12 MM	12 MM
Width of blade frame	485 MM	385 MM	485 MM	385 MM
Power	0.2 Kw	0.2 Kw	0.2 Kw	0.2 Kw
Voltage	110 V / 220 V	110 V / 220 V	110 V / 220 V	110 V / 220 V
Size	675 × 630 × 740 MM	630 × 630 × 685 MM	675 × 630 × 740 MM	630 × 630 × 685 MM
weight	80 Kg	70 Kg	80 Kg	70 Kg

ECONOMIC SERIES BREAD SLICER



- Economy and competitive price
- Stainless steel blade and painted body



MODEL	TT-D17A1	TT-D17A2	TT-D17A3	TT-D17A4
Cutting	31 PCS / Time	37 PCS / Time	45 PCS / Time	53 PCS / Time
Bread thickness	12 Mm	10 Mm	8 Mm	6.5 Mm
Bread max.length	380 Mm	380 Mm	380 Mm	380 Mm
Power	0.25 Kw	0.25 Kw	0.25 Kw	0.25 Kw
Productivity	330 PCS / 60 MIN	330 PCS / 60 MIN	330 PCS / 60 MIN	330 PCS / 60 MIN
Size	650 × 740 × 780 Mm	650 × 740 × 780 Mm	650 × 740 × 780 Mm	650 × 740 × 780 Mm
weight	72 Kg	72.5 KG	73 KG	73.5 KG

HORIZONTAL CAKE CUTTER




- Imported blades
- Equiped with 3 sets of blades
- Blade gap can be 5 mm
- Adjustable conveyor belt speed
- High quality motor, low noise
- Overload protection



MODEL	TT-D26
Max cake width	480 × 630 MM
cut capacity	3 PCS / Time
VOLTAGE	220V 50Hz
POWER	0.4 Kw
Size	1460 × 800 × 1130 MM
WEIGHT	150 Kg

NOODLE MACHINE



- Stainless steel roller
- Rolling speed 69 RPM
- STAINLESS STEEL BODY IS AVAILABLE

MODEL	TT-D25D-1	TT-D30D-1	TT-D35D-1
Length of Roller	190 MM	240 MM	290 MM
Diameter of Roller	87 MM	87 Mm	87 MM
Productivity	50 Kg	70 Kg	90 Kg
Rolling SPEED	69 RPM	69 RPM	69 RPM
Weight	290 Kg 330 × 860 MM	440 Kg 330 × 860 MM	490 Kg 330 × 860 MM
VOLTAGE	220 V	220 V	220 V
POWER	1.5 Kw	2.2 Kw	2.2 Kw

MEAT SLICER

SUPERIOR TABLE TOP MEAT SLICER



- Anodized cast aluminum alloy
- Ventilated motor
- Italy raspe stainless steel blade
- Italy imported belt
- Carriage running on self-lubricating bushes
- Cast-in sharpener assembly
- CE version with device for releasing the carriage
- Heavy duty slicer

SEMI - AUTOMATIC | GRAVITY TYPE | FOR FROZEN MEAT



MODEL	Blade SIZE DIAMETER	Slicing thickness	Cut SIZE (HxW)	Weight	Size	Voltage	Power
TT-M220	220 Mm	0-11 Mm	120x150 Mm	15.3 Kg	520x460x380 MM	220V / 110v	0.12 Kw
TT-M6	250 Mm	0-11 Mm	160x180 Mm	16.4 Kg	520x460x380 MM	220V / 110v	0.15 Kw
TT-M9	300 Mm	0-14 Mm	120x170 Mm	24.5 Kg	630x530x460 MM	220V / 110v	0.25 Kw

SEMI - AUTOMATIC | HORIZONTAL TYPE | FOR FRESH MEAT



- Italian Blade
- CE Switches
- Handle Protection



MODEL	Blade SIZE	Slicing thickness	Cut SIZE (HxW)	Weight	Size(MM)	Voltage	Power
TT-M10	250 Mm	0-14 Mm	180x280 Mm	21 Kg	504x493x465	220V	0.12 Kw
TT-M11	300 Mm	0-14 Mm	250x310 Mm	35 Kg	632x545x515	220V	0.18 Kw

ECONOMICAL TABLE TOP MEAT SLICER



TEFLON BODY is optional



MODEL	TT-M47	TT-M19	TT-M20 ANODIZED CAST BODY
BLADE DIAMETER	220 MM	250 MM	300 MM
slice thickness	0 - 11 mm	0 - 11 mm	0 - 14 mm
Weight	13.3 Kg	13.8 Kg	24 Kg
Size	520x460x380 MM	520x460x380 MM	630x530x460 MM
Voltage	220 V / 110 v	220 V / 110 v	220 V / 110 v
POWER	0.12 Kw	0.15 Kw	0.25 Kw

FULL - AUTOMATIC | GRAVITY TYPE | FOR FROZEN MEAT



Slicing speed
40 - 60 Pcs / Min



MODEL	Blade DIAMETER	Slicing thickness	cut Slice size	Weight	Size	Blade Power	Slicing Power
TT-M23	250 Mm	1-12 Mm	130x160 Mm	52.5 Kg	560x550x680 MM	0.18 Kw	0.08 Kw
TT-M41	300 Mm	1-14 Mm	140x190 Mm	69 Kg	680x580x720 MM	0.25 Kw	0.15 Kw
TT-M58	350 Mm	1-14 Mm	140x220 Mm	84 Kg	750x640x750 MM	0.37 Kw	0.15 Kw

MEAT CUTTER
FOR FRESH MEAT

- Stainless steel housing.
- Blade can be changed freely.
- Various meat and vegetable are available to be sliced.



STEP 1 TO SLICE



STEP 2 TO STRIP



STEP 3 TO CUBE



MODEL	TT-M27	TT-M29	TT-M30	TT-M31
thickness of blade	TT-M27A: 3 MM TT-M27B: 5 MM TT-M27C: 8 MM TT-M27D: 12 MM	TT-M29A: 2.5 MM TT-M29B: 3.0 MM TT-M29C: 5.0 MM	TT-M30A: 2.5 MM TT-M30B: 3.0 MM TT-M30C: 4.0 MM TT-M30D: 5.0 MM	TT-M31A: 2.5 MM TT-M31B: 3.0 MM TT-M31C: 4.0 MM TT-M31D: 5.0 MM
PRODUCTION	800 KG / HOUR	250 KG / HOUR	500 KG / HOUR	500 KG / HOUR
POWER	800 w	555 w	555 w	555 w
voltage	380 v / 220 v	220v / 110V	220v / 110 V	220v / 110 V
WEIGHT	68 kg	33 kg	35 kg	37 kg
SIZE	680x360x760 mm	450x320x430 mm	530x330x450 mm	530x320x680 mm

2 steps to meat cube



STEP 1



STEP 2



STAINLESS STEEL GUARD



MODEL	TT-M35H
Capacity	800 KG / hour
slice thickness	3 MM OTHER SIZE IS CUSTOMIZED
BLADE QUANTITY	136 PCS
BLADE THICKNESS	1.5 MM
BLADE DIAMETER	105 MM
Weight	125 Kg
VOLTAGE	380 V
POWER	0.75 X 2 Kw
SIZE	640x640x750 mm

MEAT TENDERIZER

- full Stainless steel body
- no sharp corner

OPTIONAL BLADES



ELECTRIC

MODEL	TT-MT8M	TT-MT8S
Capacity	120 KG / hour	200 kg / hour
Weight	8 Kg	15.5 KG
VOLTAGE	/	220 V / 110 V
POWER	/	0.35 Kw
SIZE	430X270X540	560X300X560

KEBAB KNIFE



ONE
BLADE
EXTRA



- > 1*Round Blade & 1*Toothed Blade
- > NO-LOAD SPEED: 3400 RPM
- > NO-LOAD RUNNING: 115 MINUTE
- > 60W-LOAD WORKING: 29-30 MINUTE
- 1*CHARGER - 90MINS FULL CHARGE

MODEL	TT-EK3	TT-EK4
capacity	60 kg / hour	60 kg / hour
cutting depth	0 - 8 mm	0 - 8 mm
knife diameter	dia. 100 mm	dia. 100 mm
Weight	1.4 Kg	1.0 Kg
VOLTAGE	110V / 220V	BATTERY (2X12V LITHIUM BATTERY 2000MAH)
POWER	80 W	80 W

SUPERIOR MEAT MINCER



MODEL	TT-M12	TT-M22	TT-M32
OUTPUT CAPACITY	120 Kg / hour	220 Kg / hour	300 Kg / hour
Size	450×230×420 MM	450×240×450 MM	670×370×540 MM
Weight	30.5 Kg	36 Kg	36 Kg
GROSS Weight	32 Kg	38 Kg	38.5 Kg
POWER SUPPLY	110V / 220 V	110V / 220 V	110 V / 220 V
POWER	550 W	900 W	1100 W



MODEL	TT-M12MD	TT-M22MD	TT-M32MD
OUTPUT CAPACITY	100 Kg / hour	180 Kg / hour	200 Kg / hour
Size	505×315×560 MM	505×315×560 MM	550×330×580 MM
Weight	21 Kg	23.5 Kg	29 Kg
GROSS Weight	24 Kg	26.5 Kg	31.6 Kg
POWER SUPPLY	110V / 220 V	110V / 220 V	110 V / 220 V
POWER	550 W	735 W	900 W



STAINLESS STEEL BODY



MODEL	TT-M12US	TT-M22US
OUTPUT CAPACITY	120 Kg / hour	220 Kg / hour
Size	470×340×480 MM	570×360×535 MM
Weight	30.5 Kg	35.5 Kg
GROSS Weight	32.5 Kg	40 Kg
POWER SUPPLY	110V / 220 V	110V / 220 V
POWER	735 W	1100 W

ELECTRIC CHEESE GRATER



MODEL	tt-cg55	tt-cg22m
capacity	40 Kg/h	cheese grating: 60 Kg/h meat grinding: 180 Kg/h
grater opening size	150 x 95 mm	150 x 95 mm
power	550 w	900 w
Size	495 X 325 X 500 mm	685 X 335 X 590 mm
Weight	16 kg	28 kg
voltage	220v 50hz / 110v 60hz	220v 50hz / 110v 60hz

ELECTRIC SAUSAGE FILLER



- MADE OF **FULL STAINLESS STEEL**
- PEDAL CONTROL**, easy to operate
- FAST AND DURABLE
- 4 SIZE OUTLET** (Ø19 / Ø25 / Ø38 / Ø42)



you can choose
TYPE A



you can choose
TYPE B




you can choose
TYPE C

MODEL	TT-F810	TT-F812	TT-F815	TT-F816	TT-F820	TT-F825
CAPACITY	10 LITER	12 LITER	15 LITER	16 LITER	20 LITER	25 LITER
CYLINDER SIZE	Ø 220 X 280 MM	Ø 220 X 325 MM	Ø 220 X 410 MM	Ø 220 X 435 MM	Ø 275 X 410 MM	Ø 275 X 500 MM
POWER	25 WATT	25 WATT	25 WATT	60 WATT	120 WATT	120 WATT
WEIGHT	27 KG	28 KG	29 KG	35 KG	43 KG	45 KG
SIZE (MM)	420 X 330 X 650	420 X 330 X 720	420 X 330 X 780	415 X 315 X 820	430 X 330 X 810	430 X 330 X 910

MEATBALL FORMING MACHINE

4 SIZE OUTLET
Ø17 / Ø22 / Ø24 / Ø27



MODEL	TT-M17B	MODEL	tt-M18B
SPEED	360 RPM	SPEED	240 RPM
output	230 BALLS	output	200 BALLS
Size(MM)	760×355×1220	Size(MM)	800×355×700
Weight	78 Kg	Weight	72 Kg
Voltage	220 / 380V	Voltage	220V / 380V
POWER	1.1 Kw	POWER	1.1 Kw

MANUAL SAUSAGE FILLER



MODEL	TYPE	volume	tube size	Size	Weight
TT-F80A	VERTICAL	3 L	140x200 MM	300×260×530 MM	11 Kg
TT-F81A	VERTICAL	5 L	140x320 MM	300×260×650 MM	12 Kg
TT-F82A	VERTICAL	7 L	140x460 MM	300×260×770 MM	13 Kg
MODEL	TYPE	volume	tube size	Size	Weight
TT-F87A	HORIZONTAL	3 L	140x200 MM	450×210×160 MM	9. 5 Kg
TT-F88A	HORIZONTAL	5 L	140x320 MM	580×210×160 MM	11 Kg
TT-F89A	HORIZONTAL	7 L	140x460 MM	710×210×160 MM	12 Kg

BONE SAW



MODEL	Jg210	Jg210A	Jg300	Jg300A
BODY MATERIAL	Alloy Painted BODY	Stainless steel BODY	Painted BODY	Stainless steel BODY
BLADE SPEED	15 M/S	15 M/S	15 M/S	15 M/S
BELT WHEEL DIA.	210 MM	210 MM	300 MM	300 MM
CUTTING THICKNESS	4-180 MM	4-180 MM	30-250 MM	30-250 MM
Size (MM)	520×490×840	660×530×970	780×710×1690	780×710×1690
TABLE Size	400×436 MM	610×530 MM	712×662 MM	712×662 MM
Weight	45 Kg	60 Kg	98 Kg	100 Kg
Voltage	220 V	220 V	380 V	380 V
POWER	0.5 Kw	0.5 Kw	1.5 Kw	1.5 Kw

AUTOMATIC SAUSAGE FILLER



220V 50Hz | STAINLESS STEEL BODY



MODEL	SF-150	SF-260	SF-350
Productivity	280 Kg/h	400 Kg/h	520 Kg/h
Bowl Dia	200mm	260mm	320mm
Bowl Volume	10 kg	17 kg	25 kg
Size	600×400×1240 mm	640×485×1240 mm	735×560×1240 mm
Weight	75 kg	90 kg	105 kg
Power	0.55 Kw	0.75 Kw	0.75 Kw

POTATO PEELER

SUPERIOR POTATO PEELER



- 1 - 2 minutes to finish one time peeling
- Replaceable abrasive hand inside
- Elegant appearance

MODEL	BOWL Capacity	OUT SHELL	Size	VOLTAGE	POWER
Pp8	8 Kg	Painted	430×430×725 MM	220 V	0.37 Kw
Pp8A	8 Kg	S / S	430×430×725 MM	220 V	0.37 Kw
Pp15	15 Kg	Painted	475×540×785 MM	220 V	0.75 Kw
Pp15A	15 Kg	S / S	475×540×785 MM	220 V	0.75 Kw



MODEL	BOWL Capacity	OUT SHELL	Size	VOLTAGE	POWER
Pp30	30 Kg	Painted	850×530×800 MM	220 V	1.5 Kw
Pp30A	30 Kg	S / S	850×530×800 MM	220 V	1.5 Kw

AMERICAN TYPE POTATO PEELER



also For onion

- 10 Kg to finish in 30 - 120 seconds
- Stainless steel housing for durability
- Heavy-duty hopper cover to monitor product
- Heavy-duty motors for high volume, long life

MODEL	TT-F28A
Capacity	10 Kg
SIZE	630×630×1080 MM
Safety	IPX1
weight	68 kg
Voltage	220V 50Hz
Power	0.75 Kw
Material	S / S

AUTOMATIC VEGETABLE CHOPPER



- Cut various melon and fruit to cube, chip with different sizes;
- CE tested, only launch after lid is shut;
- Easy to clean;
- Various blades available to use;
- Five sets of blades free to supply;

5 SETS OF BLADES FREE TO SUPPLY



BEST SELLER

MODEL	TT-F30	TT-F60	TT-F65
Weight	27.5 Kg	25 Kg	25 Kg
VOLTAGE	220 V / 110 v	220 V / 110 v	220 V / 110 v
POWER	550 w	550 w	750 w
SIZE	585x305x555 mm	660x315x545 mm	655x325x545 mm
REMARK	SEMI - CIRCLE HOPPER	SEMI - CIRCLE HOPPER	ROUND HOPPER



PLEASE VISIT BELOW URL TO SEE MORE EXTRA BLADES
www.twothousand.com/vegetable-cutter-blade



BOWL FOOD CUTTER



- FOR CUTTING UP MEAT, VEGETABLE AND FRUIT, ETC
- IT'S DRIVEN THROUGH ENCLOSED GEAR




MODEL	TQ-5 / TQ-5A	TQ-8 / TQ-8A	QS620A / QS620B	Qs630
BODY MATERIAL	Painted (TQ-5) Polished (TQ-5A)	Painted (TQ-8) Polished (TQ-8A)	Painted (QS620A) S/S (QS620B)	S/S
BOWL CAPACITY	5 L	8 L	20 L	25 L
PRODUCTIVITY	80 Kg/h	120 Kg/h	120 Kg/h	300 Kg/h
SIZE	525×420×550 MM	800×550×550 MM	775×710×940 MM	990×810×980 MM
Weight	62 Kg	90 Kg	126 Kg	318 Kg
Voltage	220V	220V	220V	380 V
POWER	370 w	750 Kw	1500 w / 1100 w	2800 w

POTATO CHIPS CUTTER



MANUAL OPERATE
EASY, SIMPLE, CHEAP



SPECIFICATION

MODEL	TT-F37	TT-F38
SIZE	360X180X250 MM	290X230X560 MM
WEIGHT	6.0 KG	6.0 KG
CUBE SIZE	8X8 / 10X10 / 12X12 MM	8X8 / 10X10 / 12X12 MM



ELECTRIC RUN
EASY, QUICK



SPECIFICATION

MODEL	CUBESIZE	VOLTAGE	POWER	SIZE (MM)	WEIGHT
TT-F36	8X8 / 10X10 / 12X12 MM	110V / 220V	60 W	290X230X560	8.6 KG

SPIRAL CUTTER

MANUAL OPERATE
EASY, SIMPLE, CHEAP



SPECIFICATION

MODEL	PACKING QTY	SIZE (MM)	WEIGHT
TT-F34	12 PCS / CTN	300X150X150	1.1 KG



ELECTRIC RUN
EASY, QUICK



SPECIFICATION

MODEL	VOLTAGE	FREQUENCY	POWER	SIZE (MM)	WEIGHT
TT-F35	110V / 220V	50 / 60 HZ	10 W	480X170X200	5.2 KG

VEGETABLE CUTTER

3 LITER
6 LITER
17 LITER



FULL STAINLESS STEEL

FEATURES

- > Full Stainless Steel 304 Body and Bowl.
- > Removable Bowl, Easy to Clean.
- > Glass Cover.
- > With Handle.
- > With Emergency Switch.
- > Full Protection, Not Run without Bowl.



13 Seconds for pork



35 Seconds for ginger



15 Seconds for pepper



18 Seconds for peanut



15 Seconds for potato



SPECIFICATION

MODEL	CAPACITY	VOLTAGE	SPEED (RPM)	POWER	SIZE (MM)	WEIGHT
TQ-3	3 LITER	110V / 220V	1400	370 W	300*250*500	13 KG
TQ-6	6 LITER	110V / 220V	1400	550 W	350*280*530	22 KG
TQ-17	17 LITER	110V / 220V	1400	1200 W	330*360*600	35 KG

FREQUENCY 50Hz / 60Hz

ICE CRUSHER



MANUAL OPERATE
EASY, SIMPLE, CHEAP



TT-I115A



TT-I115B



TT-I115C



TT-I115D

SPECIFICATION

VOLTAGE 110V / 220V / 380V

FREQUENCY 50Hz / 60Hz

MODEL	CAPACITY	SPEED	POWER	SIZE (MM)	WEIGHT
TT-I115A/B/C/D	100 KG / H	1400 RPM	180 W	425X275X345	5.0 KG



ELECTRIC RUN
EASY, QUICK

SPECIFICATION

VOLTAGE 110V / 220V / 380V

FREQUENCY 50Hz / 60Hz

MODEL	TT-I114	TT-I116
CAPACITY	180 KG / H	180 KG / H
SIZE	410X240X430 MM	500X410X660 MM
WEIGHT	8.0 KG	16.0 KG
POWER	200 W	200 W

SUPERIOR BLENDER | VARIABLE SPEED | 220v 50hz

- Wet and dry application
- Industrial high speed motor
- High quality plastic container
- Safety and Low noise
- Overload protection




MODEL	TT-I122A	TT-I128A	TT-I128B
Capacity	2.0 L	2.0 L	2.0 L
Size	200×230×510 MM	200×230×490 mm	200×230×490 mm
INPUT POWER	1.5 Kw	1.5 Kw	1.5 Kw
WEIGHT	5.5 Kg	5.5 Kg	5.5 Kg

FREE TO BLEND



ECONOMICAL BLENDER

 | 220v 50hz



MODEL	TT-I120	TT-I179A
Capacity	1.5 L	2.0 L
Size	250×170×310 MM	520×260×280 MM
INPUT POWER	0.45 Kw	0.85 Kw
WEIGHT	2.8 Kg	5.5 Kg

BEST SELLER BLENDER

- Stainless steel 420 blade, longer life
- Water proof internal and external rubber ring
- Japanese NSK imported bearing
- Stainless steel 304 driver and gear
- Copper motor coil



MODEL	TT-I777	TT-I111
Capacity	2.0 L	2.2 L
MOTOR RPM	27000 RPM	28000 RPM
POWER	1490 w	1250 w
Size	1180 × w 220 × h 550 MM	1250 × w 240 × h 560 MM
WEIGHT	4.5 Kg	5.6 Kg

milk shaker

- Double speed
- Stainless steel cup
- Safety switch
- Metal materia



MODEL	TT-MK4A	TT-MK5A
Capacity	SINGLE CUP	double cups
POWER	300 w	300 w x 2
WEIGHT	6.0 Kg	10.0 Kg

ORANGE JUICER

MULTIFUNCTIONAL ECONOMICAL JuiceR

- 1 Litre juice jug with foam separator
 - 5 litre pomace container
 - Extra large feeding tube for whole apple possible
- 2 speed switch optional
 - Micro-switch safety system
 - S/S AND ALUMINUM
- VOLTAGE

220V 50HZ



MODEL	TT-J112A	TT-J25	TT-J113
CAPACITY	100-120Kg/h	80-100Kg/h	50-65Kg/h
SPEED	2800 RPM	2800 RPM	4300 RPM
Size=(MM)	430×350×450	340×270×360 mm	358×220×300
WEIGHT	19 Kg	12 Kg	7 Kg
POWER	0.55 Kw	0.37 Kw	0.18 Kw

mini ORANGE JUICER



MODEL	TT-J29
Size	210×206×406 mm
WEIGHT	15.2 Kg
VOLTAGE	220 V
POWER	0.18 Kw
CAPACITY	80 - 100 / KG / HOUR
SPEED	2800 RPM

heavy duty JuiceR



- Stainless steel shell
 - Transparent plastic cover
- The rate of the juice is about 40%
 - Well organized structure

OUTPUT

20 Orange / Min

material

S/S 304

POWER

0.12 Kw



Size	400×300×770 (mm)	400×330×780 (mm)	400×480×900 (mm)	500×490
MODEL	TT-J103C	TT-J103D	TT-J103E	TT-J101
ORANGE DIM.	40 - 80 MM	40 - 80 MM	40 - 80 MM	60 - 90 MM
juice yield	40 - 50%	40 - 50%	40 - 50%	50 - 60%

